



Key Benefits

- Ensure top-tier security with Viasat's DARC-SSD® 600 drives
- Effortlessly transfer data with removable, high-reliability NVMe drives
- Streamline classified information handling during storage and transportation
- Maintain uninterrupted operations with removable dual-supply power redundancy and thermally engineered cooling
- Powerful processing with a range of 14th-Gen Intel® Core™ processors
- Maintains NATO Cosmic Top Secret compliance when powered on, and reverts to NATO Unclassified when powered off, allowing drives to be transported or handled without special security measures.



SES-120

High-Performance Secure Encrypted Server

Overview

Captex's SES range is a family of highly secure servers incorporating NCSC CAPS-evaluated technology to safeguard Official, Secret, and Top Secret information. The drives are also certified to UK Top Secret and NATO Cosmic Top Secret classifications. Featuring defense-grade AES-256 hardware encryption and a tamper-evident design, with front-panel removable and lockable high-reliability NVMe SSD drives, unlocked as a single drive set. Available in a compact 2U form factor with a wide range of I/O connectivity and processing power, storage, power supply, and pre-loaded OS.

Engineered with custom forced-air cooling to minimize throttling during heavy workloads. Optional ruggedization up to MIL Standard for deployment in demanding environments.

Specifications

SES-120	A typical configuration could consist of:	SES-120	Continued:
CPU	Commercial: Intel® i9-14900K, 24 Cores, 3.2/6.0 GHz Embedded: Intel® i9-14900, 24 Cores, 2.0/5.8 GHz Intel® i7-14700, 20 Cores, 2.1/5.4 GHz Intel® i5-14500, 14 Cores, 2.6/5.0 GHz *Clock Speed based on Performance Cores	Rear I/O	2 x 10Gb LAN, Intel® X710 2 x 1Gb LAN, Intel® i210 2 x USB 3.2 (Gen1) – Type A 1 x IPMI 2.0 Remote Management (RJ45) 1 x COM (DB9) 3 x Video (1 x VGA, 1 x HDMI, 1 x Display Port)
Chipset	Intel® Z690	Expansion	3 Slots: 1 x PCIe4.0 x16, 1 x PCIe4.0 x8 1 x PCIe3.0 x1
Memory	Up to 128GB DDR4, non-ECC RAM	Optional I/O	Fiber LAN up to 100Gb Wide range of GPUs from NVIDIA, AMD & Intel® Integration of customer proprietary PCI-E cards
Storage	Viasat DARC-ssd® 600 (AES-256 Encryption) 256GB, 512GB or 1TB 256GB ~ 8TB (Non-Encrypted)	Graphics	Onboard Intel® UHD Graphics 770. Additional discrete graphics card options available
Disks	1 to 4 x M.2 (2280) NVMe	Front I/O	2 x USB 3.0 Type A ports (for use with Viasat Keystone Token)

SES-120	Continued:	SES-120	Continued:
Operating System	Microsoft® Windows: -Windows® 10 (64-bit) -Windows® 11 (64-bit) Linux: -RedHat Enterprise Linux Server 8.5 (64-bit) / 7.9 (64-bit) - CentOS 8.5 (64-bit) / 7.9 (64-bit) - SUSE SLES 15.2 (64-bit) / 12.5 (64-bit) - Ubuntu 21.10 (64-bit) / 21.04 (64-bit) / 20.04.4 (64-bit) Hypervisor: -VMWare® ESXi 7.0 U3d* -VMWare® ESXi 6.7.0 U3 *Please contact our sales teams to discuss your project requirements.	DVD	Custom build option on request
		Dimensions	483W x 88H x 510D (mm)
		PSU	High reliability single, or dual redundant power supplies: 110 ~ 264V AC 18 ~ 36V DC
		Form Factor	2U, 19" Rackmount Design (1U Variant available)
		Weight	Approx 12.5Kg, depending on configuration
		Construction	Heavy duty cold rolled electroplated steel
		Operating Temperature	0°C ~ +40°C
		Storage Temperature	-40°C ~ +70°C
		Certification	CE, RoHS, REACH

Additional Options

Ruggedized variants of the server up to MIL-STD are available, with variations such as a wider operating temperature range, shock and vibration resilience, enhanced EMC performance, custom defense connectors, and conformal coating.



Viasat DARC-ssd® 600 Specifications

NCSC Caps Evaluated to Protect Secret and Top Secret Information

Reduces handling requirements during storage and/or transportation of classified data when the protected computer is turned off and the user token device is carried separately

Classification Status

Maintains NATO Cosmic Top Secret compliance when powered on, and reverts to NATO Unclassified when powered off, allowing drives to be transported or handled without special security measures.

Full Drive Encryption

Including all data and OS

Secured upon system power-down and hibernation

AES-256 Hardware Encryption

Authentication is performed by hardware and not in the system software layer

Every drive sector is encrypted

Emergency key purge available

Solid State Drive (SSD)

No moving parts

Provides performance and durability

No noise — no spin or seek time, silent operation


Tamper-Evident Design

All devices are covered in conformal coating

Anti-Clone

DARC-SSD® 600 cannot be cloned once encryption is set

Token is protected against cloning



CAPTEC

Delivering end-to-end, like no one else.
Bring us your challenge & experience the difference.

Corporate & EMEA Headquarters

Fareham, Hampshire, UK
+44 (0) 1489 866 066
sales-emea@captec-group.com

Subsystems Engineering UK

Farnborough, Hampshire, UK
+44 (0) 1252 512 919
sales-cse@captec-group.com

Canada Headquarters

Cambridge, ON, Canada
+1 (519) 650 4000
sales-canada@captec-group.com

USA Headquarters

Buffalo, NY, USA
+1 (519) 650 4000
sales-usa@captec-group.com



captec-group.com